- 516 55. Craven SE. Colonization of the intestinal tract by Clostridium perfringens and fecal shedding in
 517 diet-stressed and unstressed broiler chickens. Poult Sci. 2000;79:843-849.
 518 https://doi.org/10.1093/ps/79.6.843
- 56. Ding XM, Li DD, Li ZR, Wang JP, Zeng QF, Bai SP; Su ZW, Zhang KY. Effects of dietary crude
 protein levels and exogenous protease on performance, nutrient digestibility, trypsin activity and
 intestinal morphology in broilers. Livest Sci. 2016;19:26-31.
 https://doi.org/10.1016/j.livsci.2016.09.002
- 523 57. Kamel NF, Ragaa M, El-Banna RA, Mohamed FF. Effects of a monocomponent protease on performance parameters and protein digestibility in broiler chickens. Agric Agric Sci Procedia. 2015;6:216–225. https://doi.org/10.1016/j.aaspro.2015.08.062
- 526 58. Kidd MT, Maynard CW, Mullenix GJ. Progress of amino acid nutrition for diet resotein reduction
 in poultry. J Anim Sci Biotechnol. 2021;12:45. https://doi.org/10.1186/s4010_021-0.68-0
- 528 59. Eits R, Kwakkel R, Verstegen M, Stoutjesdijk P, Greef K. Protein and lipid departion rates in male broiler chickens: separate responses to amino acids and protein ree energy. Poult Sci. 2002;81:472-80. https://doi.org/10.1093/ps/81.4.472
- 531 60. Liu SY, Selle PH, Court SG, Cowieson AJ. Proteas ementation of sorghum-based broiler 532 diets enhances amino acid digestibility coefficien in for small intestinal sites and accelerates 533 their of digestion. Anim Technol. 2013;183:175-183. rates sci 534 https://doi.org/10.1016/j.anifeedsci.2013.05
- 535 Peris S, Budnik S, Rutkowski A. The effect 61. Hejdysz M, Kaczmarek SA, Kubiś wiśnie 536 of protease and Bacillus lichenifo hal value of pea, faba bean, yellow lupin and mis on n tritic 537 narrow-leaved lupin in broi chick diets. Br Poult Sci. 2020;61:287-293. https://doi.org/10.1080/000 538