







































370

## Tables

371 Table 1. List of primers designed for quantitative real-time polymerase chain reaction

Primer	Forward (F)	Reverse (R)	Annealing temperature
GAPDH	5'-GAGGGTAGTGAAAGGCTGCTG-3'	5'-ACCAGGAAA CAAGCTTGACG-3'	58.0 °C
PAX3	5'-AGCAACTGGAAGAAGAGCTGGAAAG-3'	5'-CTCCTGGGATCAGGTGGTTAAA-3'	64.0 °C
PAX7	5'-AGCTGGCAGAGATGGAGTTG-3'	5'-CTAGTGGTGGTGGTGGCAAA-3'	64.0 °C
MYF5	5'-AGGAGGCTGAAGAAAATGAACC-3'	5'-TAGTTCCTCACCTGTTCCTCA-3'	60.0 °C
MYOD1	5'-CAGCTACTACACAGAATCACCAA-3'	5'-TCCCTTCAGCAACAGCTTCA-3'	63.2 °C
MYOG	5'-TGCCCAAGGTGGAGATCCTA-3'	5'-GGGTTGGTGCCAAACTCCAG-3'	63.2 °C
MSTN	5'-GGTATCTGGCAGAGTATTGATGTGAA-3'	5'-CAAAATCTCTGCGGGACCGT-3'	57.4 °C

372 GAPDH, glyceraldehyde-3-phosphate dehydrogenase; PAX, paired box; *MYF5*, myogenic factor 5; *MYOD1*373 *myogenic differentiation 1*; *MYOG*, myogenin; *MSTN*, myostatin

ACCEPTED